Purchase Order Receipt Listing

Wednesday, September 08, 2010 3:25:13 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO12402 Receipt Dates from 9/8/2010 to 9/8/2010 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ve	ndor Name	e VC-N	MET002 Metaux	Solutions							
PO12402	1		M174B1.250X02.00	0 f	9/1/2010	9/8/2010	12.0000	\$67.10	0.0000	0	\$805.20
CAD	No		17-4 SS Bar 1.250 x 2.00 115609	f	12.0000	DESJ02		\$805.20	0.0000	0	
	2		M6061T6R1.000	f	8/18/2010	9/8/2010	12.0000	\$3.75	0.0000	0	\$45.00
	No		ROUND BAR 1.00" 115609	f	12.0000	DESJ02		\$45.00	0.0000	. 0	
									Total Received C	uantity:	24.0000
								Total	Qty to Inspect (P	O U/M):	0.0000
									Total Reject C	Quantity:	0.0000
									Total Receip	ot Value:	\$850.20
								To	tal Balance Due Q	Quantity:	0.0000

		Rece	iving Kep	ort		
	oate: 10/5/8 Supplier: METAUX	sloti		h No: <u>/h</u> P/O:/	115600	9
Packing Slip: Invoice: Receipt: Discrepancies	Yes V No Yes No Cash Cr	Q	elease Note A Vaybill Attache hipment Com C6 Inspection Vork Order	ed: Ye plete: Ye	es N es N V	0
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
· · · · · · · · · · · · · · · · · · ·						
		-			·	1.
Production/Ad Date Received/Cost Initial	10/7/8	Initials	of receiver (if shipment (OK) Level of Location	<u> </u>

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

		Shippin	g Order	17/08/2010	
METAUX SOLUTION 2108, 32E AVENUE LACHINE, QUEBEC H8T 3H7	S INC. <i>TeL</i> : 514 633-8010	Order Reference Ship	; 68639 : PO12402 : NOTRE C		,
Customer: 63233	36	•			
DART AERO	SPACE LTD	Sh	ip To		
	DEEN STREET RY, ONTARIO			ame : 1 613 632-3336	
Item No.	Description			Qty. Del iver	B/O Qty
SE1142174	17-4PH FLAT 1,250 X 2,00	, 1		12_	Dio Qiy
	1 X 12 MARCHAN 1 X 12		12 -) - Same	
AR1	ALU ROU 1.000 DIA 6061-T6		12 .	17	4
	HT;40961 025				
	LIVRE PAR TST COLLECT #222212				
	JP	;			
•			. •		
			•		
	•				
Shipping : Package No :		Ref. :			

METAUX SOLUTIONS INC.

2108, 32E AVENUE LACHINE, QUEBEC

H8T 3H7

Tel.: 514 633-8010

Customer: 6323336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7 Shipping Order

17/08/2010

Order

: 68639

Reference

: PO12402

Ship

: NOTRE CAMION / OUR TRUCK

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty Qty. Deliver B/O Qty
SF1142174	17-4PH FLAT 1.250 X 2.00 1 X 12' ******* HT; 250 95 \	12 12 1
AR1	ALU ROU 1.000 DIA 6061-T6 1 X 12' HI;40961 025	12 12 0
·	LIVRE PAR TST COLLECT #222212 JP	lc10/9/V

Shipping	·	Ref.	:
Package No	<u>:</u>		
Merchandise I	Received:		





CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 14020 S. COIL PLUS DR UNIT 100

PLAINFIELD, IL 60544 PRODUCT DESCRIPTION: CUSTOMER PART NUMBER: CUSTOMER PO NUMBER: 1.000 +/-.004 ROD 802/STK C62131-1 KAISER LOT NUMBER: ALTOX SHIP DATE: KAISER ORDER NUMBER: LINE ITEM: (T6511B 6061 40961 025 03/02/2010 1001 LENGTH: 9052919 DEMOAF/THKNS: B/L NUMBER: QUANTITY: WEIGHT SHIPPED: 20.000 FT 957265 60.000 PCS 1108,000 LB SOLD TO: SHIP TO:

Actual Physical Properties

R975712

REFERENCE DASH# SAMPLE# UTS(KSI) ITS(KSI) 48.3 16.0 RE 92 N/A					881-25	in 2	HARDNESS	CONDUCT.	BEND	
VTP084157 0001 1 53.3 46.3 () FF 92 N/A N/A	REFERENCE DAS	h# Sample#			4E1Ong			N/A	N/A	
XTR084157 0001 2 53.6 47.1 16.0 RE 92 N/A N/A XTR084157 0001 3 54.7 50.1 16.0 RE 92 N/A N/A XTR084157 0001 4 53.0 48.1 16.0 RE 92 N/A N/A	XTR084157 00 XTR084157 00	01 2 01 3	53.6 54.7	/ 47.1 50.1		16.0 16.0	RE 92 RE 92	N/A	N/A	

Chemical Composition (wt%), Aluminum Remainder

							•							
							Zn	Ti	Pb	Bi	Zr	Ea	Tot	
LIMITS	Si	Fe	Cu	Min	Mg	C±			NA	NA	NA	0.05	0.15	
Maximum Minimum			0.40	0.15	1.2 0.8	0.35 0.04	0.25	0.15	NA NA	NA	NA		polisola	i
LITITUM	0.10				Ann	licable	Reg	uireme	nts:			010	- (- (

Applicable Requirements:

PER ASTM-B221-08, STENCILED ASME-SB221 1998 SECT II PER AMS-QQ-A-200/8 UNS#6061 MEETS ALL SPECIFICATION REQUIREMENTS FOR 6061-T6511/T6 ELEVATED MINIMUM MECHANICAL PROPERTIES AS FOLLOWS: UTS = 42.0 KSI MIN YIELD = 38.0 KSI MIN ELONGATION = 10.0% MIN

Miscellaneous Notes

MANUFACTURED IN USA (SHERMAN, TX) MELTED IN USA



CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.


Tom G. Small, Jr., QA Manager

Plant Serial: 00281810

Kaiser Order Number: 9052919

Line Item: 001

CERTIFICATE OF TEST CERTIFICAT D'ESAIS




Page 01 of 02

Certification Dat 3-SEP-2010

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

28928-JF PART NUMBER/NUMÉRO DE PIÈCE



Invoice Number T281667

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO:

METAUX SOLUTIONS

(MONTREAL)

VENDU À:

9060-0388 QUEBEC INC.

EXPÉDIÉ À:

2108 32 IEME AVENUE LACHINE QC H8T 3H7

1320 VOLTA BOUCHERVILLE

OC J4B 6G6

17-4 HRAP BAR SOL ANN ASTM A564

1-1/4 X 2 FLAT X 12' R/L HEAT: 250951

ITEM: 511751

Line Total: 108

Specifications:

Description:

AMS 5643 R AMS 2303 E

ASTM A564 T630 04 ASTM A370 09A

CR

15.02

N

ASME SA564 T630 07 EN 10204:2005 3.1

DFARS COMPLIANT

CHEMICAL ANALYSIS

0.038 NBTA

C

Р

SI

MN 0.49

0.20

CU 3.30

4.53

HARDNESS

BHN

430

CO

0.25

0.023

S 0.003 CB

TA

0.04

0.49

0.041 0.25 0.001

RCPT: R228989

COUNTRY OF ORIGIN: ITALY

%RED

IN AREA

53.0

MECHANICAL PROPERTIES YLD STR ULT TEN %ELONG DESCRIPTION COND A YLD STR ULT TEN &ELONG DESCRIPTION KSI KSI IN 02 IN DEV: H900 L 185.0 202.0 16.0

363 &RED HARDNESS IN AREA BHN

GRAIN SIZE :5

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert parce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites cihaut

JOSEE DUBE

ERTIFICATE OF TEST **CERTIFICAT D'ESAIS**



Page 02 of 02

Certification Date 3-SEP-2010

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

28928-JF PART NUMBER/NUMÉRO DE PIÈCE



Invoice Number T281667

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO:

METAUX SOLUTIONS

(MONTREAL)

VENDU À:

9060-0388 QUEBEC INC.

EXPÉDIÉ À:

2108 32 IEME AVENUE

1320 VOLTA

BOUCHERVILLE OC LACHINE QC H8T 3H7

Description:

17-4 HRAP BAR SOL ANN ASTM A564

1-1/4 X 2 FLAT X 12' R/L HEAT: 250951

ITEM: 511751

Line Total: 108 LB

MATERIAL IS FREE FROM MERCURY CONTAMINATION NO WELD REPAIR PERFORMED ON MATERIAL

ULTRASONIC: ASTM A388/API 6A PSL3

THERMAL TREATMENT: OK

ANNEALING TEMPERATURE 1904 DEG F FOR 1H, AIR COOL

TO BELOW 90 F

MACRO: OK MICRO1: OK

COMMENTS

MELTED & MFG IN USA

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert parce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOSEE DUBE



Tel: 613 632 9577 Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO12402

Purchase Order Date 8/13/10 PO Print Date 8/17/10

Page Number 1 of 2

Order From:

VC-MET002

METAUX SOLUTIONS 1320 C, VOLTA BOUCHERVILLE, QC J4B 6G6 CA

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line Nb	r Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M174B1.250X02.000	17-4 SS Bar 1.250 x 2.00	9/01/10 Yes	12.00 f	TST ground	\$67.1000	\$805.20
		Special Inst:	AMS 5604/5 GRAIN MUS OF BAR MINIMUM STRENGTH	ST BE ALONG LENC YIELD TENSILE I = 100 KSIV ULTIMATE TENSILE	STH		
2	M6061T6R1.000	ROUND BAR 1.00"	8/18/10	12.00	TST ground	\$3.7500	\$45.00

Yes

Special Inst:

MATERIAL: 6061-

T6/T651/T6510/T6511/T62

ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-

225/8 OR AMS 4117/4128/4115/4116

OR

QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR

ASTM B221

8/17/10



Tel: 613 632 9577 Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO12402

Purchase Order Date 8/13/10 PO Print Date 8/17/10

Page Number 2 of 2

Order From:

VC-MET002

METAUX SOLUTIONS 1320 C, VOLTA BOUCHERVILLE, QC J4B 6G6 CA

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30 CAD

Currency **FOB**

PO Total:

\$850.20

No substitution or deviation without consent.

Certificate of Conformity or Material

Change Nbr:

3

Change Date: 8/17/10

Certification required when applicable



Tel: 613 632 9577 Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO12402

Purchase Order Date 8/13/10 PO Priot Date 8/13/10

Page Number 1 of 2

Order From :

VC-MET002

METAUX SOLUTIONS 1320 C, VOLTA BOUCHERVILLE, QC 14B 6G6

CA

Contact Nume

Yendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoic

Requisition Nor

Tax Resale Nbr

10127-2607

Terms Currency Net 30 CAD

FOB

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line Nt	or Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price Extended Price
1	M174B1.250X02.000	17-4 SS Bar 1.250 x 2.00	9/01/10 Yes	12.00 L	TST ground	\$62.9610 \$755.76

Special Inst:

MATERIAL: 17-4PH \$\$ BAR PER

AMS 5604/5643

GRAIN MUST BE ALONG LENGTH

of Bar

MINIMUM YIELD TENSILE

STRENGTH = 100 KSI

MINIMUM ULTIMATE TENSILE STRENOTH = 150 KSI

21KEMO14 - 120 Kg1

12,00

12.00 'I'ST ground

\$3,7500

please Confirm.

\$45.00

2 M6061T6R1.000

ROUND BAR 1.00"

8/18/10 Yes

f

J-1-J-U

Special Inst:

MATERIAL: 6061-T6/T651/T6510/T6511/T62

ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116

OR

QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR

ASTM B221

MATERIAL CERTIFICATION REQ'D UPON DELIVERY TST COLLECT #222212.

8/13/10



Tel: 613 632 9577 Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO12402

Purchase Order Date 8/13/10 PO Print Date 8/13/10

Page Number 2 of 2

Order From :

METAUX SOLUTIONS 1320 C, VOLTA BOUCHERVILLE, QC J4B 6G6

Contact Name

Vendor Phone Vendor Fax

800 558 8858 514 633 8044

Vendor Account Nbr

VC-MET002

Buyer

Chantal Lavoic

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

CAD

Terms Currency

FOB

PO Total:

\$800.76

MATERIAL CERTIFICATION REO'D UPON DELIVERY



No substitution or deviation without consent.

Certificate of Conformity or Material Curtification required when applicable

Change Nbr:

2

Change Date: 8/13/10



Tel: 613 632 9577 Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO12402

Purchase Order Date 8/13/10 PO Print Date 8/13/10

Page Number 1 of 2

Order From:

VC-MET002

METAUX SOLUTIONS 1320 C, VOLTA BOUCHERVILLE, QC J4B 6G6 CA

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7

CANADA

FEXAMED

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M174B1.250X02.000	17-4 SS Bar 1.250 x 2.00	9/01/10 Yes	12.00 f	TST ground	\$62.9800	\$755.76
		Special Inst:	AMS 5604/5 GRAIN MU OF BAR MINIMUM STRENGTH	ST BE ALONG LENC YIELD TENSILE I = 100 KSI ULTIMATE TENSILI	отн		
2	M6061T6R1.000	ROUND BAR 1.00"	8/18/10 Yes	12.00 f	TST ground	\$3.7500	\$45.00
		Special Inst	MATERIAL	: 6061-			

Special Inst:

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR

AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116

OR

QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR

ASTM B221

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

8/13/10



Tel: 613 632 9577 Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO12402

Purchase Order Date 8/13/10 PO Print Date 8/13/10

Page Number 2 of 2

Order From:

VC-MET002

METAUX SOLUTIONS 1320 C, VOLTA BOUCHERVILLE, QC J4B 6G6 CA

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

FOB

PO Total:

\$800.76

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

2

Change Date: 8/13/10

TRANSMISSION VERIFICATION REPORT

: 08/13/2010 12:00 :

TIME : 08/13/2018 NAME : FAX : TEL : SER.# : F9N212739

DATE,TIME FAX NO./NAME DURATION PAGE(S) RESULT MODE

08/13 11:59 15146338044 00:00:28 02 OK STANDARD ECM



Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO12402

Purchase Order Date 8/13/10 PO Print Date 8/13/10

Page Number 1 of 1

Order From:

VC-MET002

METAUX SOLUTIONS 1320 C, VOLTA

BOUCHERVILLE, QC J4B 6G6

CA

Contact Name **Vendor Phone**

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr

Terms Currency

FOB

Chantal Lavoie

10127-2607

Net 30 CAD

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Description/ Line Nbr Reference Mfg ID **Revision ID** Vendor Part Number 17-4 SS Bar 1.250 x 2.00 M174B1.250X02.000

Req Date/ Taxable Unit of Measure

Req Qty/ Ship Method

TST ground

Unit Price

\$62.9800

Extended Price

\$1,511.52

Special Inst:

MATERIAL: 17-4PH SS BAR PER AMS

9/01/10

RAIN MUST BE ALONG LENGTH OF

MINIMUM YIELD TENSILE STRENGTH

= 100 KSI

MINIMUM ULTIMATE TENSILE

STRENGTH = 150 KSI

M6061T6R1.000

MATERIAL CERTIFICATION

REQ'D UPON DELIVER

2

ROUND BAR 1.00

8/18/10

12.00 TST ground

\$3.7500

\$45.00

Yes

Special Inst:

MATERIAL: 6061-

T6/T651/T6510/T6511/T62 ALUMINUM

ROUND BAR

AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR

AMS 4160 OR ASTM B211 OR ASTM

PO Total:

\$1,556.52

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 8/13/10

..... 17-4 Ball. 250" X2" X2464.

M174B2.000X01.500	2.412105263	0	12.6	12
M174PH-H900B3.937X4.750	15.00431263	0	22.8	8
M174PH-H900R1.000	72.96584177	0	26.8	4
M174PH-H900R1.375	75.65768421	0	34.4	4
M2024T3S.040	356.4229895	0	369.34	64
M2650-6	29.84286747	0	67	30 _ // .
M303B1.000X1.000	2.895667318	0	2.74022	6 12-67
M303B1.000X2.000	1.83159	0	17.68421	6 n,
M303B1 .500X03.00 0 1 ``\\$``	5.173647368	0	7.5947	6/2-67
M303B2.000X1.750	4.475354211	0	16.15117	10
M303R0.500	11.65344901	0	36.8	20
M303R0.750	81.95921053	0	100.6099	60
M304B0.500X2.500	417.8467105	0	74	12
M304EX0.75-16F	297.1794868	0	993.555733	192
M304R1.00	8.210526316	0	0	0
M304RO.750	10.51168421	0	29.09473684	24
M304S12GA	70.28030015	0	204.1	32
M304S26GA	6.301324331	0	144	32
M304TR0.500W.035	83.69519575	0	129.490217	80
M304TR0.750W.065	1.212994737	0	63.5	24
M304TR1.000W.049	3.202610316	0	30.841584	24
M304TS0.500W.049	130.6874427	0	498.4837258	120
M304TS0.750W.049	315.3345074	Ö	367.9466048	120
M304TS0.750W.065	132.0615288	Ö	326.764885	200
M4130NB0.500X03.000	41.78473684	ő	24	40
M4130NT0.500W.049	5.722631579	ő	67.333	10
M4130NT0.750W.049	37.19178947	ő	139.1667	30
M6061T6B0.187X04.000	7.874052632	ő	73.42	24
M6061T6B0.250X02.500	3.837894737	Ö	30.4134	10
M6061T6B0.250X06.000	11.46773684	0	42	12
M6061T6B0.375X00.750	3.873942105	0	18.1471	12
M6061T6B0.500X05.000	29.14684211	0	49.8636	12
M6061T6B0.500X06.000	21.61113684	Ö	43.2814	24
M6061T6B0.750X00.250	5.619157895	Ö	16.5	12
M6061T6B0.750X00.750	1.765030004	0	36.5883	24
M6061T6B00750X00.125	15.80833158	0	99.3017	80
M6061T6B1.000X02.000	11.75260526			
M6061T6B1.000X04.000	33.89348421	0	50.422	40
M6061T6B1.000X06.000		0	77.1	12
M6061T6B1.000X08.000	2.325987994	0	12	6
M6061T6B1.000X12.000 M6061T6B1.000X15.000	13.89175789	0	16	12
M6061T6B1.500X15.000	29.85052632	0	46.3	24
M6061T6B1.500X02.000 M6061T6B1.500X04.000	1.078557895	0	15.2863	12
M6061T6B1.300X04.000 M6061T6B2.000X04.500	3.476266098	0	11.2643	10
	2.495788947	0	19.62421	6
M6061T6B30000X01.500	1.159783811	0	23.1789	20
M6061T6R0.625	43.44222632	0	77.5	30
M6061T6R0.750	7.119031579	0	12.11684211	40
M6061T6R1.000	1.183663158	0	3.68	12 12分十
				V

	01,01.00	
Envoyé: Thursday, August 12, 2010 1:41 PM À: :ft.anguay@metauxsolutions.com Cc: :j.primeau@metauxsolutions.com Objet: quote Hi Jean-Francois, Please advise price & delivery on material. 17-4 bar 1.250" x 2" x 24 ft 62.98\$/FT 10 A 15 JOURS 755.76 303 bar 1" x 1" x 12 ft 33.35\$/FT 7 A 10 JOURS 400.20 303 bar 1" x 3" x 12 ft 101.65\$/FT 7 A 10 JOURS 12 19.80 5061t6 round bar 1" x 12 ft 3.75\$/FT M STOCK MERCI Information provenant de ESET NOD32 Antivirus, version de la banque de donnies de virus 5361 (20100812) Le message a iti virifii par ESET NOD32 Antivirus. http://www.eset.com Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5361 (20100812) Le message a été vérifié par ESET NOD32 Antivirus.	Sent: To:	August 12, 2010 3:12 PM 'Chantal Lavoie'
Please advise price & delivery on material. 17-4 bar 1.250" x 2" x 24 ft 62.98\$/FT 10 A 15 JOURS 755. 303 bar 1" x 1" x 12 ft 33.35\$/FT 7 A 10 JOURS 400.20 303 bar 1" x 3" x 12 ft 101.65\$/FT 7 A 10 JOURS 1, 2, 19.30 6061t6 round bar 1" x 12 ft 3.75\$/FT M STOCK MERCI Thanks Chantal Information provenant de ESET NOD32 Antivirus, version de la banque de donnies de virus 5361 (20100812) Le message a iti virifii par ESET NOD32 Antivirus. http://www.eset.com Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5361 (20100812) Le message a été vérifié par ESET NOD32 Antivirus.	Envoyé: À: jf.tang Cc: j.prim	Thursday, August 12, 2010 1:41 PM uay@metauxsolutions.com neau@metauxsolutions.com
17-4 bar 1.250" x 2" x 24 ft 62.98\$/FT 10 A 15 JOURS 7 7 7 8 10 JOURS 1 2 10 3 3 3 5 7 8 7 8 10 3 3 3 5 5 7 7 7 A 10 JOURS 1 2 10 3 2 9 10 3 2 9 10 3 2 9 10 3 2 9 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Information provenant de ESET NOD32 Antivirus, version de la banque de donnies de virus 5361 (20100812) Le message a iti virifii par ESET NOD32 Antivirus. http://www.eset.com Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5361 (20100812) Le message a été vérifié par ESET NOD32 Antivirus.	17-4 bar 1 303 bar 1"	.250" x 2" x 24 ft 62.98\$/FT 10 A 15 JOURS 75.76 x 1" x 12 ft 33.35\$/FT 7 A 10 JOURS 400.20
Information provenant de ESET NOD32 Antivirus, version de la banque de donnies de virus 5361 (20100812) Le message a iti virifii par ESET NOD32 Antivirus. http://www.eset.com Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5361 (20100812) Le message a été vérifié par ESET NOD32 Antivirus.	6061t6 rou	und bar 1" x 12 ft 3.75\$/FT M STOCK MERCI 45.00
Le message a iti virifii par ESET NOD32 Antivirus. http://www.eset.com Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5361 (20100812) Le message a été vérifié par ESET NOD32 Antivirus.	Thanks Chantal	
http://www.eset.com Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5361 (20100812) Le message a été vérifié par ESET NOD32 Antivirus.	virus 536	
Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5361 (20100812) Le message a été vérifié par ESET NOD32 Antivirus.	Le messa	ge a iti virifii par ESET NOD32 Antivirus.
virus 5361 (20100812) Le message a été vérifié par ESET NOD32 Antivirus.	http://ww	w.eset.com
	virus 536	
http://www.eset.com	Le messa	ge a été vérifié par ESET NOD32 Antivirus.
	http://ww	w.eset.com

Si vous avez des questions SVP n'hésiter pas de nous conatcter

Merci beaucoup!

Christina Antoniou

Magna Inoxydable et Aluminium ventes internes aérospatiale/inside sales aerospace 5775 rue Kieran St Laurent QC, H4S 0A3 Tel: (514) 339-1211 Fax: (514)339-1105 www.magnastainless.com

From: Chantal Lavoie [mailto:clavoie@dartaero.com]

Sent: August 10, 2010 1:29 PM

To: Christina Antoniou **Subject:** QUOTE

Hi Christina, Please advise price & delivery on material.

17-4 bar 1.250" x 2" x 24 ft OFFRE 1 1/2 " X 2" X 12' LG \$ 986.12 EACH LENGTH 1 ½ SEMAINE DE LIVRAISON
303 bar 1" x 1" x 12 ft 1 BAR \$ 259.00/PC 1 ½ SEMAINE DE LIVRAISON
303 bar 1.5" x 3' x 12 ft 1 BAR \$ 1209.00/PC 1 ½ SEMAINE DE LIVRAISON 1 ½ SEMAINE DE LIVRAISON
6061t6 round bar 1" x 12ft 1 BAR \$ 85.00/PC 1 ½ SEMAINE DE LIVRAISON

Thanks Chantal

TST of	verland Exp	0.5.1.# 144612 Overland West	Station A, Mississauga, Ontario 188 m International Inc.(OVEA) r Avenue, Cleveland, Ohio 441		Carrier Code Code du Tran 2153	sp.					
Division of TST Solution Une division de TST Sol DUNS No. 242148401	lutions L.P.	te Cueil	UH Trailer - Unite F	Route				750-1250			
Manifest From - N	Manifest From - Manifest de To - A Bill of Lading No. N°Connal			onnaisseme	NS					$\frac{4}{9}$	7 10
Consignee Consignataire DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7					Shipper-Expéditeur MS METAUX SOLUTIONS IN 2108 32ND AVE LACHINE, PQ H8T 3H4				ommande		D.J Y.A Dest. CD. MTL 4 O Colue - Valeur déctarée Wirk - WiRens. Page O 0 1
Bill To - Facturer à Origin Carrier - Pre		I O/C Dec No. 1995		T" 1" =						- I	
Origin Carrier - Premier Transporteur O/C Pro No N° Facture i			e P/1	M D	.1		Beyond Carri	er - Transporteur subs.		S.R.	Amount - Montant
1	TEL# 613 FUEL SUR Printed ** COLLE	ESCRIPTIO -632-3330 CHARGE on 09/07/	5	18:4	:7		Weight - Polds	Rate - Taux		Charges - Fr LECT LECT	ais
Total Pieces 1 Colls total GST# 144612488 2 OF Print Last Name A TransForce Company					Poids		120	Total Charge Frais totaux		LECT	
		SAW INTACT YES NO	Au transporteur suivant - Frai		Toutes pert sement au consignatai		be noted on pro bill at time of nature will constitute clear reco ses doivent tere notes sur le con livraison, autrement la signatur un recu final.	Total P.S.L. Chèque visé o	or Certified Cheque argent comptant	ue Only - Driver Co	cevoir par le chauffeur
received in Apparent	eceived in Apparent Good Order- Reçu sans Avaire Apparente Date Time In Time Out Unit - Unite U Driver - Cheuffour Terms: Net 7 Days, Overdue Balance Subject to Interest Charge Conditions: 7 lours, compte en Souffrance Sujet à Intéréss										

Signature Copy - Copie de Signature